

AP physics C --- Webreview --- chapter 13 oscillations**Multiple Choice**

Identify the choice that best completes the statement or answers the question.

- _____ 1. A large spring requires a force of 150 N to compress it only 0.010 m. What is the spring constant of the spring?
- 125 000 N/m
 - 15 000 N/m
 - 15 N/m
 - 1.5 N/m
 - 1.0 N/m
- _____ 2. Tripling the weight suspended vertically from a coil spring will result in a change in the displacement of the spring's lower end by what factor?
- 0.33
 - 1.0
 - 3.0
 - 9.0
 - 12
- _____ 3. A tiny spring, with a spring constant of 1.20 N/m, will be stretched to what displacement by a 0.005 0-N force?
- 4.2 mm
 - 6.0 mm
 - 7.2 mm
 - 9.4 mm
 - 11 mm
- _____ 4. Suppose there is an object for which $F = +kx$. What will happen if the object is moved away from equilibrium ($x = 0$) and released?
- It will return to the equilibrium position.
 - It will move further away with constant velocity.
 - It will move further away with constant acceleration.
 - It will move further away with increasing acceleration.
 - None of the above.
- _____ 5. Which is not an example of approximate simple harmonic motion?
- A ball bouncing on the floor.
 - A child swinging on a swing.
 - A piano string that has been struck.
 - A car's radio antenna as it waves back and forth.
 - Both choices A and D are valid.
- _____ 6. A 0.20 kg object, attached to a spring with spring constant $k = 10$ N/m, is moving on a horizontal frictionless surface in simple harmonic motion of amplitude of 0.080 m. What is its speed at the instant when its displacement is 0.040 m? (Hint: Use conservation of energy.)
- 9.8 m/s
 - 4.9 m/s
 - 49 cm/s
 - 24.5 cm/s
 - 53 cm/s

- _____ 7. A mass of 0.40 kg, hanging from a spring with a spring constant of 80 N/m, is set into an up-and-down simple harmonic motion. What is the speed of the mass when moving through a point at 0.05 m displacement? The starting displacement of the mass is 0.10 m from its equilibrium position.
- zero
 - 1.4 m/s
 - 1.7 m/s
 - 1.2 m/s
 - 1.0 m/s
- _____ 8. A 0.20-kg mass is oscillating on a spring over a horizontal frictionless surface. When it is at a displacement of 2.6 cm for equilibrium it has a kinetic energy of 1.4 J and a spring potential energy of 2.2 J. What is the maximum speed of the mass during its oscillation?
- 3.7 m/s
 - 4.7 m/s
 - 6.0 m/s
 - 6.3 m/s
 - 7.8 m/s
- _____ 9. Suppose a 0.3-kg mass on a spring that has been compressed 0.10 m has elastic potential energy of 1.0 J. How much further must the spring be compressed to triple the elastic potential energy?
- 0.30 m
 - 0.20 m
 - 0.17 m
 - 0.07 m
 - 0.05 m
- _____ 10. An ore car of mass 4 000 kg rolls downhill on tracks from a mine. At the end of the tracks, 10.0 m lower in elevation, is a spring with $k = 400\,000$ N/m. How much is the spring compressed in stopping the ore car? Ignore friction.
- 0.14 m
 - 0.56 m
 - 1.40 m
 - 1.96 m
 - 2.43 m
- _____ 11. By what factor must one change the weight suspended vertically from a spring coil in order to triple its period of simple harmonic motion?
- 1/9
 - 0.33
 - 3.0
 - 9.0
 - 12
- _____ 12. A mass on a spring vibrates in simple harmonic motion at a frequency of 4.0 Hz and an amplitude of 8.0 cm. If the mass of the object is 0.20 kg, what is the spring constant?
- 40 N/m
 - 87 N/m
 - 126 N/m
 - 160 N/m
 - 190 N/m

- _____ 13. For a mass suspended on a spring in the vertical direction, the time for one complete oscillation will depend on:
- the value for g (the acceleration due to gravity).
 - the distance the mass was originally pulled down.
 - the maximum speed of the oscillating mass.
 - the time doesn't depend on any of the above.
 - both choices A and C are valid.
- _____ 14. A mass on a spring vibrates in simple harmonic motion at a frequency of 4.0 Hz and an amplitude of 4.0 cm. If a timer is started when its displacement is a maximum (hence $x = 4$ cm when $t = 0$), what is the acceleration magnitude when $t = 3$ s?
- zero
 - 8.13 m/s²
 - 14.3 m/s²
 - 25.3 m/s²
 - 32.4 m/s²
- _____ 15. A mass on a spring vibrates in simple harmonic motion at a frequency of 4.0 Hz and an amplitude of 8.0 cm. If a timer is started when its displacement is a maximum (hence $x = 8$ cm when $t = 0$), what is the displacement of the mass when $t = 3.7$ s?
- zero
 - 0.025 m
 - 0.036 m
 - 0.080 m
 - 0.095 m
- _____ 16. The motion of a piston in an automobile engine is nearly simple harmonic. If the 1-kg piston travels back and forth over a total distance of 10.0 cm, what is its maximum speed when the engine is running at 3 000 rpm?
- 31.4 m/s
 - 15.7 m/s
 - 7.85 m/s
 - 3.93 m/s
 - 1.66 m/s
- _____ 17. The position of a 0.64-kg mass undergoing simple harmonic motion is given by $x = (0.160 \text{ m}) \cos(\pi t/16)$. What is its period of oscillation?
- 100 s
 - 32 s
 - 16 s
 - 8.0 s
 - 4.5 s
- _____ 18. The position of a 0.64-kg mass undergoing simple harmonic motion is given by $x = (0.160 \text{ m}) \cos(\pi t/16)$. What is the maximum net force on the mass as it oscillates?
- 3.9×10^{-3} N
 - 9.9×10^{-3} N
 - 1.3×10^{-3} N
 - 5.4×10^{-2} N
 - 6.3 N

- _____ 19. The position of a 0.64-kg mass undergoing simple harmonic motion is given by $x = (0.160 \text{ m}) \cos(\pi t/16)$. What is its position at $t = 5.0 \text{ s}$?
- 0.160 m
 - 0.159 m
 - 0.113 m
 - 0.089 m
 - 0.076 m
- _____ 20. The kinetic energy of the bob on a simple pendulum swinging in simple harmonic motion has its maximum value when the displacement from equilibrium is at what point in its swing?
- zero displacement
 - 1/4 the amplitude
 - 1/2 the amplitude
 - 3/4 the amplitude
 - equal the amplitude
- _____ 21. Tripling the mass of the bob on a simple pendulum will cause a change in the frequency of the pendulum swing by what factor?
- 0.33
 - 1.0
 - 3.0
 - 9.0
 - 12
- _____ 22. A simple pendulum of length 1.00 m has a mass of 100 g attached. It is drawn back 30.0° and then released. What is the maximum speed of the mass?
- 1.14 m/s
 - 3.13 m/s
 - 2.21 m/s
 - 1.62 m/s
 - 2.56 m/s
- _____ 23. A simple pendulum has a mass of 0.25 kg and a length of 1.0 m. It is displaced through an angle of 30° and then released. After a time, the maximum angle of swing is only 10° . How much energy has been lost to friction?
- 0.29 J
 - 0.65 J
 - 0.80 J
 - 1.0 J
 - 1.2 J

**AP physics C --- Webreview --- chapter 13 oscillations
Answer Section**

MULTIPLE CHOICE

1. B
2. C
3. A
4. D
5. A
6. C
7. D
8. C
9. D
10. C
11. D
12. C
13. D
14. D
15. B
16. B
17. B
18. A
19. D
20. A
21. B
22. D
23. A